



MAIN APPLICATIONS

Emergency Dept.

Endoscopy

Gastroenterology

General Surgery

Obstetrics

Dental Practice

Internal Rechargeable Battery

ASKIR C30 BR is a portable suction unit for the aspiration of body liquids, oral, nasal and tracheal aspiration in adults or children. For professional use and with a powerful aspiration of max 36l/min. ASKIR C30 BR comes with double collection jars and on a stand with five antistatic castors for easy transport. Two different options for operation: AC/DC adapter and rechargeable battery in case of power black out make it a versatile suction unit approved for NON-STOP operation without overheating. Provided with visual and acoustic alarm indicating low battery level, the main unit is also equipped with vacuum-meter (mmHg & kPa) and vacuum regulator.

ACCESSORIES INCLUDED

- Liquid Collection Jar with overflow valve system (different options, see below)
- Silicone Tubes \varnothing 8x14mm (autoclavable) - Patient Tube length 150cm
- Conical Connector \varnothing 10-11-12mm
- Antibacterial & Hydrophobic Filter (single-patient)
- Universal switching Power Adapter (100-240V/50-60Hz) + Power Cord

TECHNICAL FEATURES

Motor	Oilless and maintenance-free piston pump
Power Feeding	14V \rightleftharpoons 4A by AC/DC Universal Adapter 100-240V / 50-60Hz - 100VA (model UE60-140429SPA1)
	\rightleftharpoons 12V \rightleftharpoons 4A Internal rechargeable Pb battery - Autonomy 60 min. - Recharging Time 4 hours
ISO 10079-1 Classification	HIGH VACUUM / HIGH FLOW
Max Vacuum (adjustable)	-0.80 bar -80 kPa -600 mmHg
Max free air flow rate	36 l/min
Noise Level	65,5 dBA (with jar) / 68,5 dBA (without jar)
Duty cycle	Non-stop operation (by mains only)
Weight	kg 12.90 (unit packed with all accessories)
Size	cm 32 x 30 x 99
Years of Warranty	2
Shipping carton	1
Place of Manufacturing	Italy

Italian
Medical
Touch
MADE IN ITALY

AVAILABLE CONFIGURATIONS

- | | |
|--------------|---|
| RE 410251 | ASKIR C30 BR with 2x2000 ml autoclavable jars in polycarbonate Makrolon 2858 |
| RE 410251/01 | ASKIR C30 BR with 2x2000 ml Flovac® disposable liners and reusable containers |
| | Jars in APEC® autoclavable up to 143°C available upon request |

MAIN APPLICATIONS

Emergency Dept.

Endoscopy

Gastroenterology

General Surgery

Obstetrics

Dental Practice



ASKIR C30 is a portable suction unit on castors for the aspiration of body liquids, oral, nasal and tracheal aspiration in adults or children. For professional use and with a powerful aspiration of max 40 l/min, ASKIR C30 comes with double collection jars and on a stand with five castors for easy transport. Main unit equipped with vacuum-meter (mmHg & kPa) and vacuum regulator.

ACCESSORIES INCLUDED

BASIC

FS

Liquid Collection Jar with overflow valve system (different options, see below)	<input type="radio"/>	<input type="radio"/>
Silicone Tubes \varnothing 8x14mm (autoclavable) - Patient Tube length 150cm	<input type="radio"/>	<input type="radio"/>
Conical Connector \varnothing 10-11-12mm	<input type="radio"/>	<input type="radio"/>
Antibacterial & Hydrophobic Filter (single-patient) + CH20 Canula	<input type="radio"/>	<input type="radio"/>
Power Cord with Schuko plug	<input type="radio"/>	<input type="radio"/>
Footswitch (may be ordered at a later time)		<input type="radio"/>

TECHNICAL FEATURES

Motor	Oilless and maintenance-free piston pump
Power Feeding	220-230V / 50-60Hz
ISO 10079-1 Classification	HIGH VACUUM / HIGH FLOW
Max Vacuum (adjustable)	-0.80 bar -80 kPa -600 mmHg
Max free air flow rate	40 l/min
Noise Level	61,5 dBA
Duty cycle	Non-stop operation
Weight	kg 9.06 (unit packed with all accessories)
Size	cm 32 x 30 x 99
Years of Warranty	2
Shipping carton	1
Place of Manufacturing	Italy

Italian
Medical
Touch
MADE IN ITALY

AVAILABLE CONFIGURATIONS

RE 410250	ASKIR C30 BASIC with 2x2000 ml autoclavable jars in polycarbonate Makrolon 2858
RE 410250/01	ASKIR C30 FS with 2x2000 ml autoclavable jars in polycarbonate Makrolon 2858 + footswitch
RE 410250/10	ASKIR C30 BASIC with 2x2000 ml Flovac® disposable liners and reusable containers
	Jars in APEC® autoclavable up to 143°C available upon request