



mex+1417LGW

The Hybrid Digital Radiography System

- Flexible use as wireless or wired system
- Excellent image quality due to CsI and 4,3 lp/mm
- High DQE enable extreme low radiation dose
- Useable as complete wireless solution with integrated AP (Access Point) Mode
- Compatible with every X-ray system due to Automatic Exposure Detection (AED)
- Suitable for mobile and stationary use with imaging area of 36 cm x 43 cm
- Retrofit use due to ultra-thin cassette size of 1,5 cm
- Liquid and dust protection (IP53)

Mobility components of the meX+ 1417LGW



Battery operating time ~ 6,5 hours, in standby ~ 13 hours




meX+ Image Acquisition Software

- Always perfect images with easy handling
- Integrated, automatic image optimization
- Fully integrated positioning guide
- Bones and soft tissues in one picture
- Create patient CDs with a free viewer
- Adjustment to almost any language possible
- Modern graphical user interface
- Integrated touchscreen function
- Safe and fast registration of emergency patients
- Storage of recurring examination procedures as macros



Dimensions



Specifications

Interface	wireless and wired
Scintillator	Cesium-lodide (CsI)
Dimensions	364,92 x 443,0 mm
Active Pixel Area	350,0 x 427,28 mm
Weight	2,95 kg
Pixel Pitch	140 µm
Resolution	4,3 lp/mm
Detective quantum efficiency	68% DQE at 0,1lp/mm
A/ D Conversion	16 bit
Pixel Number	2500 x 3052
Energy Range	40 - 150 kV
Battery operating time	~ 6,5 hours (~13h in standby)





Im Erlengrund 20, 46149 Oberhausen - Germany

t: +49 (0) 208 377 890-0 info@medical-econet.com f: +49 (0) 208 377 890-55 www.medical-econet.com facebook.com/medicaleconetgermany twitter.com/medicaleconet

Distributor	7LGW-08-2
	-2S-MEX1417
	ME-ENG-H